

## PUBLIC PRIVATE SCHOOL

Userid: minsheupm

Review: PM 3/15/2013

Inspection reviewed.

Geocoded 29.031642/-81.274626

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORTPURPOSE: ☐ REINSPECTION☒ ROUTINE ☐ CHANGE OF OWNER☐ CONSTRUCT. ☐ CONSULTATION☐ COMPLAINT ☐ EPIDEMIOLOGY☐ QA SURVEY ☐ PREOPENING☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
615	308	307



NAME Blue Lake Elementary School

ADDRESS 282 Blue Lake Avenue N

CITY Deland

OWNER Volusia County School Board

ZIP 32724

PERSON IN CHARGE Willie Williams

PHONE (386) 822-6760

E-MAIL

## RESULTS:

☐ Satisfactory☐ Incomplete☒ Unsatisfactory☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
12:35	14:00	03/14/2013	69037	64-51-01530

RE-INSPECTION DATE

4/5/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

☐ 1. School Site☐ 2. Playground Equipment☐ 3. Athletic Equipment

## BUILDINGS

☐ 4. Construction☒ 5. Maintenance & Repair☐ 6. Lighting/Foot-Candles☐ 7. Heating, Ventilation, A/C☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☒ 10. Provided/Accessible☒ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☐ 15. Handwash Facilities☐ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/  
Maintained☒ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation:5 Clinic: Student bed ripped, unable to be cleaned and sanitized. Please repair/replace.

Code Reference FAC: Maintenance &amp; Repair 64E-13.004(3)(b)(c). Furnishings and equipment shall be kept clean and in good repair.

Violation:10 Room 7-009: Observed furniture in student restroom. Please remove.

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities kept clean and in good repair.

Violation:11: Room 12-007: Air freshener in use in student restroom. Please remove.

Code Reference FAC: Cleanliness &amp; Repair 64E-13.004(6)(a). Deodorizers shall not be used in toilet rooms.

Violation:19 Water fountain between restrooms 8-004/8-005 has low pressure. Please correct.

Code Reference FAC: Drinking Fountains 64E-13.004(7)(b). Drinking fountains of an approved, sanitary slant jet type shall be provided in the ratio specified in the local building code or Chapter 64E-10, F.A.C.

Violation:23:

SECOND NOTICE ROOM 3-004: Roach waste/parts observed under handwash sink and adjacent cabinets.

Room 3-004: Drain flies observed under sink in cabinet. Please locate source of flies, clean and exterminate.

Room 4-001A, 4-004A, 5-002A, 7-004A, 12-007, 12-010: Roach waste/parts observed under handwash sink and adjacent cabinets.

To pass the reinspection, all signs of roach presence must be eliminated from cabinets. Please remove all items from the sink cabinet and

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert Maglievaz

PHONE: 736-5442

INSPECTION COND SIGNATURE:

ALT#:

COPY OF REPORT RECEIVED BY:

DATE: 3/14/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Blue Lake Elementary School

Date: 03/14/2013

Identification No: 64-51-01530

**Comments and Instructions (Continued from Page 1):**

adjacent cabinet, clean the shelving to remove insect waste/parts, conduct extermination activities and verify no presence of roaches in the material removed from the cabinets before returning items to the cabinet.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Copy of Report  
Received By: *W. B. F. W. W.*

Inspector Robert Maglievaz

## PUBLIC PRIVATE SCHOOL

Userid: minshewpm

Review: PM 4/3/2013

Inspection reviewed.

Geocoded 29.043789/-81.283241

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

## PURPOSE:

- ☒ ROUTINE ☐ REINSPECTION  
☐ CONSTRUCT. ☐ CHANGE OF OWNER  
☐ COMPLAINT ☐ CONSULTATION  
☐ QA SURVEY ☐ EPIDEMIOLOGY  
☐ OTHER ☐ PREOPENING

TYPE: Public School

CENSUS	FEMALES	MALES
2400	1200	1200



NAME Deland High School  
 ADDRESS 800 Hill Avenue N CITY Deland  
 OWNER Volusia County School Board ZIP 32724  
 PERSON IN CHARGE School Board, Volusia County PHONE (386) 822-6500

## RESULTS:

- ☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

- ☐ Next Inspection  
☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER	RE-INSPECTION DATE
13:00	18:00	03/27/2013	69037	64-51-01539	5/3/2013

As per section 120.696 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☒ 1. School Site  
☐ 2. Playground Equipment  
☐ 3. Athletic Equipment

☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation☐ 15. Handwash Facilities☐ 16. Showers/Fixtures

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## BUILDINGS

- ☐ 4. Construction  
☒ 5. Maintenance & Repair  
☐ 6. Lighting/Foot-Candles  
☐ 7. Heating, Ventilation, A/C

☒ 10. Provided/Accessible☒ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio

## WATER SUPPLY

☐ 18. Installed/Operated/  
Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## VECTOR/VERMIN

## CONTROL

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation:1 PLEASE REFER TO ATTACHMENT "A"

Code Reference FAC: School Site 64E-13.004(1). The school site should not pose health threats from hazardous materials.

Violation:5 PLEASE REFER TO ATTACHMENT "A"

Code Reference FAC: Maintenance &amp; Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions.

Violation:10 PLEASE REFER TO ATTACHMENT "A"

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities for all occupants. These facilities shall be located for convenient student access and faculty supervision and kept clean and in good repair.

Violation:11 PLEASE REFER TO ATTACHMENT "A"

Code Reference FAC: Cleanliness &amp; Repair 64E-13.004(6)(a). Deodorizers shall not be used in toilet rooms.

Violation:23 PLEASE REFER TO ATTACHMENT "A"

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

NOTE1: This inspection was conducted over a 2-day period that included March 22 and March 27th.


\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert MaglievazPHONE: 736-5442INSPECTION COND SIGNATURE: [Signature]

ALT#:

COPY OF REPORT RECEIVED BY: [Signature]DATE: 3/27/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Deland High School

Date: 03/27/2013

Identification No: 64-51-01539

**Comments and Instructions (Continued from Page 1):**

NOTE2: Sanitizer on custodial carts averaged 200 ppm quat.

Copy of Report  
Received By:

Inspector Robert Maglievaz

Page 2

## PUBLIC PRIVATE SCHOOL

Userid: minshewpm

Review: PM 3/15/2013

Inspection reviewed.

Geocoded 29.0041777-81.296686

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORTPURPOSE: ☐ REINSPECTION☒ ROUTINE ☐ CHANGE OF OWNER☐ CONSTRUCT. ☐ CONSULTATION☐ COMPLAINT ☐ EPIDEMIOLOGY☐ QA SURVEY ☐ PREOPENING☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
1090	545	545



NAME Deland Middle School

ADDRESS 1400 Aquarius Avenue

CITY Deland

OWNER Volusia County School Board

ZIP 32724

PERSON IN CHARGE School Board, Volusia County

PHONE (386) 822-6580

## RESULTS:

☐ Satisfactory☐ Incomplete☒ Unsatisfactory☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection☒ 8:00 AM on

## E-MAIL

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
13:20	15:45	02/27/2013	69037	64-51-01540

RE-INSPECTION DATE

4/2/2013

As per section 120.095 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

☐ 1. School Site☐ 2. Playground Equipment☐ 3. Athletic Equipment

## BUILDINGS

☐ 4. Construction☒ 5. Maintenance & Repair☐ 6. Lighting/Foot-Candles☐ 7. Heating, Ventilation, A/C☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☒ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☒ 15. Handwash Facilities☐ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/  
Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

## Violation:5

THIRD AND FINAL NOTICE: ROOM 709: Paint flaking off air conditioner return ducts and falling onto student work areas. Please eliminate flaking paint. Failure to correct on reinspection will result in a Notice of Violation to the Superintendent.  
ROOM 907: Paint flaking from ceiling skylight. Please eliminate moisture intrusion and repair.  
Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster.

Violation:10 Restroom 910: Observed student toothbrush and rinse cup stored on handwash sink in student restroom.

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities for all occupants. These facilities shall be located for convenient student access and faculty supervision and kept clean and in good repair.

Violation:15 Please ensure all "auto" handwash sinks run a minimum of 15 seconds before shutting off.

Code Reference FAC: Handwash Facilities 64E-13.004(6)(b). Handwashing facilities shall be located within or adjoining each toilet room.

Violation:23 Portable 16: Observed light coming through bottom of north-facing door. Please install barrier to prevent vermin entry such as cockroaches.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

INSPECTION CONDUCTED BY: Robert Maglievaz

PHONE: 736-5442

INSPECTION COND SIGNATURE:

ALT#:

COPY OF REPORT RECEIVED BY:

DATE: 2/27/2013

## PUBLIC PRIVATE SCHOOL

Userid: minshewpm

Review: PM 3/15/2013

Inspection reviewed

Geocoded 29.046153/-81.295820

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORTPURPOSE: ☐ REINSPECTION☒ ROUTINE ☐ CHANGE OF OWNER☐ CONSTRUCT. ☐ CONSULTATION☐ COMPLAINT ☐ EPIDEMIOLOGY☐ QA SURVEY ☐ PREOPENING☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
525	263	262



NAME George Marks Elementary School

ADDRESS 1000 Garfield Avenue N

CITY Deland

OWNER Volusia County School Board

ZIP 32724

PERSON IN CHARGE School Board, Volusia County

PHONE (386) 822-6630

E-MAIL

## RESULTS:

☐ Satisfactory☐ Incomplete☒ Unsatisfactory☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
09:45	10:30	03/13/2013	69037	64-51-01559

RE-INSPECTION DATE
4/3/2013

As per section 120.095 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

☐ 1. School Site☐ 2. Playground Equipment☐ 3. Athletic Equipment

## BUILDINGS

☐ 4. Construction☐ 5. Maintenance & Repair☐ 6. Lighting/Foot-Candles☐ 7. Heating, Ventilation, A/C☐ 8. Natural Ventilation☒ 9. Mechanical Ventilation

## SANITARY FACILITIES

☒ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☐ 15. Handwash Facilities☐ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/  
Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN CONTROL

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☒ 28. Biomedical Waste☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation:9 Fresh air intake for HVAC has been shut off/disconnected. Filter panel left open. Please reconnect fresh air intake to properly ventilate classroom (NOTE: The classrooms served by this HVAC unit are also reporting odor problems that may be connected to this issue). Code Reference FAC: Mechanical Ventilation 64E-13.004(5)(d). All air conditioned spaces shall be ventilated when occupied.

Violation:10 Rooms

1. 1-004, 1-005: Observed student supplies in student restrooms. Please remove.

2. Group Restrooms: Soap dispenser for handwash sink mounted directly above faucet impeding student access. Please relocate to be offset from faucet.

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities for all occupants. These facilities shall be located for convenient student access and faculty supervision and kept clean and in good repair.

Violation:23

1. Room 6-02: Staff report rodent-like scratching and scampering noises coming from behind screened areas of skylights. Please investigate/exterminate as necessary.

2. Room 6-04, 6-01: Signs of extensive roach infestation in all cabinetry (including metal cabinets) of these rooms. Please clean all cabinets to remove all signs of roach waste, treat entire building for roach infestation and maintain in cleaned condition until extermination is verified.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert Maglievaz

PHONE: 736-5442

INSPECTION COND SIGNATURE:

ALT#:

COPY OF REPORT RECEIVED BY:

DATE: 3/13/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: George Marks Elementary School

Date: 03/13/2013

Identification No: 64-51-01559

**Comments and Instructions (Continued from Page 1):**

Violation: 28 Unsatisfactory biomedical waste inspection/overflowing biomedical waste container. See biomedical waste inspection report.  
Code Reference FAC: This applies to any other applicable state or local environmental Health standard enforced by the DOH or the County Health Department.

Copy of Report  
Received By:

Inspector Robert Maglievaz

## PUBLIC PRIVATE SCHOOL

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

Userid: schelblecf

Review: CS 3/21/2013

Inspection reviewed.

Geocoded 28.947297/-80.891363

- PURPOSE:** ☐ REINSPECTION  
☒ ROUTINE ☐ CHANGE OF OWNER  
☐ CONSTRUCT. ☐ CONSULTATION  
☐ COMPLAINT ☐ EPIDEMIOLOGY  
☐ QA SURVEY ☐ PREOPENING  
☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
660	330	330



NAME Indian River Elementary School

ADDRESS 600 Roberts Road CITY Edgewater

OWNER Volusia County School Board ZIP 32141

PERSON IN CHARGE School Board, Volusia County PHONE (386) 426-7350

E-MAIL wmccoy@volusia.k12.fl.us

## RESULTS:

- ☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

- ☐ Next Inspection  
☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
12:30	14:30	03/07/2013	29648	64-51-01556

RE-INSPECTION DATE
3/21/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☐ 1. School Site  
☐ 2. Playground Equipment  
☐ 3. Athletic Equipment

- ☐ 8. Natural Ventilation

- ☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

- ☐ 10. Provided/Accessible

- ☐ 11. Cleanliness & Repair

- ☒ 12. Toilet Facilities

- ☐ 13. Separation of Sexes

- ☐ 14. Fixture Ratio

- ☐ 15. Handwash Facilities

- ☐ 16. Showers/Fixtures

- ☐ 17. Shower Water Temp.

## WATER SUPPLY

- ☐ 18. Installed/Operated/

- Maintained

- ☐ 19. Drinking Fountains

- ☐ 20. Approved Source

## LIQUID/SOLID WASTE

- ☐ 21. Sewage Disposal

- ☐ 22. Solid Waste

## VECTOR/VERMIN

## CONTROL

- ☐ 23. Infestation/Control

- ☐ 24. Brush/Trash

- ☐ 25. Water Collection/Drainage

## SAFETY

- ☐ 26. First Aid Kit

## FOOD

- ☐ 27. Food Insp. Rpt.

## OTHER

- ☐ 28.

- ☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation: 12 REPAIR RESTROOM AND CLASSROOM RESTROOM VENTILATION FANS TO FUNCTION.

Code Reference FAC: Toilet Facilities 64E-13.004(6)(a). Toilet facilities shall be accessible under continuous roof cover from all student occupied spaces. In group toilet rooms a partition shall be placed between each water closet. Each compartment shall have a door. Entrances to group toilet rooms shall be provided with a partition or other shielding device to block the occupants from view. Entrance doors shall be self-closing.

INSPECTION CONDUCTED BY: Robert Webster PHONE: (386) 424-2078 ex.

INSPECTION COND SIGNATURE: *X Robert Webster* ALT#:COPY OF REPORT RECEIVED BY: *Scott L. McCoy* DATE: 3/7/2013



## PUBLIC PRIVATE SCHOOL

Userid: minshewpm

Review: PM 3/29/2013

Inspection reviewed.

Geocoded 28.939506/-81.307404

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

PURPOSE: ☐ REINSPECTION  
☒ ROUTINE ☐ CHANGE OF OWNER  
☐ CONSTRUCT. ☐ CONSULTATION  
☐ COMPLAINT ☐ EPIDEMIOLOGY  
☐ QA SURVEY ☐ PREOPENING  
☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
750	375	375



NAME Manatee Cove Elementary  
 ADDRESS 734 Ohio Avenue W CITY Orange City  
 OWNER Volusia Co School Board ZIP 32763  
 PERSON IN CHARGE School Board, Volusia County PHONE (386) 968-0004

## RESULTS:

☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection  
☒ 8:00 AM on

## E-MAIL

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
10:00	12:00	03/19/2013	69037	64-51-02129

## RE-INSPECTION DATE

4/5/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☐ 1. School Site  
☐ 2. Playground Equipment  
☐ 3. Athletic Equipment

☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☒ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☐ 15. Handwash Facilities☐ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

## Violation:5

1. Restroom 5-502: Hand dryer not functioning properly (Shuts off when not pressed). Please repair

2. Room 4-405: Weather stripping is falling off/out of door. Please reattach/repair.

Code Reference FAC: Maintenance &amp; Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster.

Violation:10 SECOND NOTICE Restroom 427A: Observed furniture (cabinet changing station) in student restroom. If station will remain in restroom, please modify station to allow cleaning underneath.

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities shall be kept clean and in good repair.

## Violation:23

1. SECOND NOTICE: Room 1-123 (ART): Observed 14 dead spiders, numerous roaches and spider/roach parts in cabinet under/near east sink. Observed dead roach under cabinet under NW sink. Please clean cabinet and exterminate.

2. SECOND NOTICE: Room 1-125 (MUSIC): Observed roach waste/roach sign in all west-side cabinets. As also noted in the 2-2012 inspection report, a gap was observed in the exterior entry door to this room that allows roach entry. Please seal.


3. Media Center: Observed roach waste/roach signs in cabinetry of the media center. Observed large gap in east exterior entry doors that would allow roach entry into the building. Please seal gap in door.

NOTE: To pass the next inspection, all cabinets with roach waste/roach sign must have contents removed, the cabinets shall be cleaned and

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert Maglievaz PHONE: 736-5442  
 INSPECTION COND SIGNATURE: [Signature] ALT#: \_\_\_\_\_  
 COPY OF REPORT RECEIVED BY: [Signature] DATE: 3/19/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Manatee Cove Elementary

Date: 03/19/2013

Identification No: 64-51-02129

**Comments and Instructions (Continued from Page 1):**

open for reinspection. Do not place items back into cabinets until extermination is verified.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Copy of Report Received By: *Don D. Longleaf*

Inspector Robert Maglievaz

Page 2

## PUBLIC PRIVATE SCHOOL

Userid: minshewpm

Review: PM 3/29/2013

Inspection reviewed

Geocoded 29.006350/-81.313864

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

## PURPOSE:

- ☐ REINSPECTION  
☒ ROUTINE ☐ CHANGE OF OWNER  
☐ CONSTRUCT. ☐ CONSULTATION  
☐ COMPLAINT ☐ EPIDEMIOLOGY  
☐ GAS SURVEY ☐ PREOPENING  
☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
745	373	372



NAME Southwestern Middle School  
 ADDRESS 605 New Hampshire Avenue W CITY Deland  
 OWNER Volusia County School Board ZIP 32720  
 PERSON IN CHARGE Mamie Otis PHONE (386) 822-6700

## RESULTS:

- ☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

- ☐ Next Inspection  
☒ 3:00 AM on

## E-MAIL

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
14:00	15:20	03/06/2013	69037	64-51-01582

## RE-INSPECTION DATE

4/3/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☒ 1. School Site  
☐ 2. Playground Equipment  
☐ 3. Athletic Equipment

## BUILDINGS

- ☐ 4. Construction  
☒ 5. Maintenance & Repair  
☐ 6. Lighting/Foot-Candles  
☐ 7. Heating, Ventilation, A/C

- ☐ 8. Natural Ventilation

- ☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

- ☐ 10. Provided/Accessible

- ☐ 11. Cleanliness & Repair

- ☐ 12. Toilet Facilities

- ☐ 13. Separation of Sexes

- ☐ 14. Fixture Ratio

- ☒ 15. Handwash Facilities

- ☐ 16. Showers/Fixtures

- ☐ 17. Shower Water Temp.

## WATER SUPPLY

- ☐ 18. Installed/Operated/  
Maintained

- ☐ 19. Drinking Fountains

- ☐ 20. Approved Source

## LIQUID/SOLID WASTE

- ☐ 21. Sewage Disposal

- ☐ 22. Solid Waste

## VECTOR/VERMIN

- ☒ 23. Infestation/Control

- ☐ 24. Brush/Trash

- ☐ 25. Water Collection/Drainage

## SAFETY

- ☐ 26. First Aid Kit

## FOOD

- ☐ 27. Food Insp. Rpt.

## OTHER

- ☐ 28.

- ☐ 29.

## COMMENTS AND INSTRUCTIONS

INSPECTION CONDUCTED BY: Robert Maglievaz PHONE: 736-5442  
 INSPECTION COND SIGNATURE: [Signature] ALT#: \_\_\_\_\_  
 COPY OF REPORT RECEIVED BY: [Signature] DATE: 3/6/2013

## PUBLIC PRIVATE SCHOOL

Userid: mrcraejp

Review: JM 3/27/2013

Inspection reviewed

Geocoded 29.245363/-81.460900

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

## PURPOSE:

- ☐ REINSPECTION  
☒ ROUTINE ☐ CHANGE OF OWNER  
☐ CONSTRUCT. ☐ CONSULTATION  
☐ COMPLAINT ☐ EPIDEMIOLOGY  
☐ QASURVEY ☐ PREOPENING  
☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
1000	500	500



NAME Taylor Middle-High School

ADDRESS 100 Washington Avenue E CITY Pierson

OWNER Volusia County School Board ZIP 32180

PERSON IN CHARGE School Board, Volusia County PHONE (386) 749-6800

E-MAIL rbrinson@volusia.k12.fl.us

## RESULTS:

- ☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

- ☐ Next Inspection  
☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
07:15	11:15	03/27/2013	29651	64-51-01589

RE-INSPECTION DATE
4/10/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☐ 1. School Site  
☐ 2. Playground Equipment  
☒ 3. Athletic Equipment

☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☐ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☒ 15. Handwash Facilities☒ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN CONTROL

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation:3 [ICE SCOOP IN VARSITY TRAINING ROOM IN DISREPAIR.] [GLOO WATER COOLERS STORED WITHOUT PROPER CLEANING AND SANITIZING.] [VARSITY TRAINING ROOM IS FILTHY. CLEAN AND DIRTY ITEMS NOT MAINTAINED SEPERATE. EQUIPMENT STORED DIRTY, SINK BASINS FILTHY. MEDICAL SUPPLIES STORED WITH DRINKING WATER BOTTLES.] [VARSITY BOYS LOCKERS SOILED WITH FILTH 7-114.]

Code Reference FAC: Athletic Equipment 64E-13.004(2)(b). Athletic and recreational equipment and facilities must be kept clean and in a safe condition. Fences and equipment shall have no jagged or sharp projections. Athletic and recreational equipment and facilities must be kept clean and in a safe condition. Fences and equipment shall have no jagged or sharp projections.

Violation:5 [WATER DAMAGED CEILING TILES IN ROOM 3-223.] [CLOTHS DRYER HOSE IN DISREPAIR ROOM 10-104.] [91% ALCOHOL NOT STORED IN THE FLAMABLE STORAGE CABINET 5-225.] [HIGH MOLAR CONCENTRATION ACIDS STORED ON TOP OF THE CORROSIVES STORAGE CABINET IN ROOM 5-219. ADJUST SHELVEING IN CABINET AS NEEDED TO ACCOMIDATE LAGE CONTAINERS.]

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp edges, splinters, and protruding or rusty nails.


Violation:15 [AUTOMATIC FAUCETS AT HANDWASH SINKS FAIL TO REMAIN ON FOR THE MINIMUM REQUIRED 15 SECONDS IN THE FOLLOWING LOCATIONS: 3-124 HANDICAP STALL, 3-126, 3-222, 4-107, 4-102, 5-121.] [FAUCET IN DISREPAIR AT HANDWASH SINK

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Greg Thomas PHONE:

INSPECTION COND SIGNATURE: *Greg Thomas* ALT#:COPY OF REPORT RECEIVED BY: *Kelly Nicholson* DATE: 3/27/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Taylor Middle-High School

Date: 03/27/2013

Identification No: 64-51-01589

**Comments and Instructions (Continued from Page 1):**

[LOOSE]] [NO HAND DRYING DEVICE PROVIDED AT HANDWASH SINK 5-121 HANDICAP STALL.] [HANDWASH SINK VERY SLOW TO DRAIN IN 1-130.]

Code Reference FAC: Handwash Facilities 64E-13.004(6)(b). Handwashing facilities shall be located within or adjoining each toilet room. Soap dispensers shall be provided at all wash basins and liquid or powdered soap shall be used. Individual towels, preferably paper shall be used. Use of common or public towels is prohibited. Hot-air hand drying devices

Violation:16 [SHOWER LACKS CURTAIN IN ROOM 4-107.] [SHOWER HEAD AND DRAIN SOILED WITH BIOFILM ROOM 4-107 AND BOY'S AND GIRL'S SHOWERS IN BLDG 7.] [FLOORS OF SHOWER STALLS IN BOY'S AND GIRL'S SHOWER ROOMS BLDG 7 SOILED WITH FILTH AND SLIPPERY BIOFILM.]

Code Reference FAC: Showers/Fixtures 64E-13.004(6)(c). Shower facilities shall be provided in all secondary schools where physical education is a required subject. Shower rooms & stalls shall have floors, partitions & walls to a minimum height of six (6) feet finished with dense non-absorbent & non-corrosive materials having a smooth impervious surface. One (1) shower head shall be provided for each five (5) pupils. Floors shall be drained in such a manner that waste water from any shower head will not pass over areas occupied by other bathers. Showers must be kept clean & free of mildew. Foot baths are not allowed.

Violation:23 [HEAVEY INFESTATION OF ROACHES FOUND IN 1-164A CONSUMER SCIENCES LAB. HIGHEST CONCENTRATION FOUND IN DISHWASHERS AND CABINETS.] [ROACHES FOUND IN DISHWASHER IN ROOM 5-225.]

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Discontinue use of home economics classroom/lab until infestation has been controled and inspector clears for use.

Copy of Report Received By: *Kerry Dickson*

Inspector Greg Thomas

## PUBLIC PRIVATE SCHOOL

Userid: mcraejp

Review: JM 4/8/2013

Inspection reviewed.

Geocoded 29.245363/-81.460900

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORTPURPOSE: ☒ REINSPECTION☐ ROUTINE ☐ CHANGE OF OWNER☐ CONSTRUCT. ☐ CONSULTATION☐ COMPLAINT ☐ EPIDEMIOLOGY☐ QA SURVEY ☐ PREOPENING☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
1000	500	500



NAME Taylor Middle-High School

ADDRESS 100 Washington Avenue E

CITY Pierson

OWNER Volusia County School Board

ZIP 32180

PERSON IN CHARGE School Board, Volusia County

PHONE (386) 749-6800

E-MAIL rbrinson@volusia.k12.fl.us; jsmliller@volusia.k12.fl.us

## RESULTS:

☐ Satisfactory☐ Incomplete☒ Unsatisfactory☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection☒ 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
07:00	08:45	04/03/2013	29651	64-51-01589

RE-INSPECTION DATE
4/10/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance: for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

☐ 1. School Site☐ 2. Playground Equipment☒ 3. Athletic Equipment

## BUILDINGS

☐ 4. Construction☒ 5. Maintenance & Repair☐ 6. Lighting/Foot-Candles☐ 7. Heating, Ventilation, A/C☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☐ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☒ 15. Handwash Facilities☒ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/Maintained☐ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

Visit conducted at request of school. No signs of infestation observed in home economics classroom during visit. Students may return to room. A reinspection will be conducted on 4/10/13 for remaining violations.

Violation:3 [ICE SCOOP IN VARSITY TRAINING ROOM IN DISREPAIR.] [IGLOO WATER COOLERS STORED WITHOUT PROPER CLEANING AND SANITIZING.] [VARSITY TRAINING ROOM IS FILTHY. CLEAN AND DIRTY ITEMS NOT MAINTAINED SEPERATE. EQUIPMENT STORED DIRTY. SINK BASINS FILTHY. MEDICAL SUPPLIES STORED WITH DRINKING WATER BOTTLES.] [VARSITY BOY'S LOCKERS SOILED WITH FILTH 7-114.]

Code Reference FAC: Athletic Equipment 64E-13.004(2)(b). Athletic and recreational equipment and facilities must be kept clean and in a safe condition. Fences and equipment shall have no jagged or sharp projections. Athletic and recreational equipment and facilities must be kept clean and in a safe condition. Fences and equipment shall have no jagged or sharp projections.

Violation:5 [WATER DAMAGED CEILING TILES IN ROOM 3-223.] [CLOTHS DRYER HOSE IN DISREPAIR ROOM 10-104.] [91% ALCOHOL NOT STORED IN THE FLAMABLE STORAGE CABINET 5-225.] [HIGH MOLAR CONCENTRATION ACIDS STORED ON TOP OF THE CORROSIVES STORAGE CABINET IN ROOM 5-219. ADJUST SHELVING IN CABINET AS NEEDED TO ACCOMIDATE LAGE CONTAINERS.]

Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions, such as loose or broken floor tiles and boards; loose moldings; loose hanging fixtures, pipes, and electric wires; and broken plaster. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and hazards such as sharp edges, splinters, and protruding or rusty nails.

Violation:15 [AUTOMATIC FAUCETS AT HANDWASH SINKS FAIL TO REMAIN ON FOR THE MINIMUM REQUIRED 15 SECONDS IN THE

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Greg Thomas

PHONE:


INSPECTION COND SIGNATURE:

ALT#:

COPY OF REPORT RECEIVED BY:

DATE: 4/3/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Taylor Middle-High School

Date: 04/03/2013

Identification No: 64-51-01589

**Comments and Instructions (Continued from Page 1):**

FOLLOWING LOCATIONS: 3-124 HANDICAP STALL, 3-126, 3-222, 4-107, 4-102, 5-121.] [FAUCET IN DISREPAIR AT HANDWASH SINK IN 4-107 (LOOSE)] [NO HAND DRYING DEVICE PROVIDED AT HANDWASH SINK 5-121 HANDICAP STALL.] [HANDWASH SINK VERY SLOW TO DRAIN IN 1-130.]

Code Reference FAC: Handwash Facilities 64E-13.004(6)(b). Handwashing facilities shall be located within or adjoining each toilet room. Soap dispensers shall be provided at all wash basins and liquid or powdered soap shall be used. Individual towels, preferably paper shall be used. Use of common or public towels is prohibited. Hot-air hand drying devices

Violation:16 [SHOWER LACKS CURTAIN IN ROOM 4-107.] [SHOWER HEAD AND DRAIN SOILED WITH BIOFILM ROOM 4-107 AND BOY'S AND GIRL'S SHOWERS IN BLDG 7.] [FLOORS OF SHOWER STALLS IN BOY'S AND GIRL'S SHOWER ROOMS BLDG 7 SOILED WITH FILTH AND SLIPPERY BIOFILM.]

Code Reference FAC: Showers/Fixtures 64E-13.004(6)(c). Shower facilities shall be provided in all secondary schools where physical education is a required subject. Shower rooms & stalls shall have floors, partitions & walls to a minimum height of six (6) feet finished with dense non-absorbent & non-corrosive materials having a smooth impervious surface. One (1) shower head shall be provided for each live (5) pupils. Floors shall be drained in such a manner that waste water from any shower head will not pass over areas occupied by other bathers. Showers must be kept clean & free of mildew. Foot baths are not allowed.

Violation:23 [ROACHES FOUND IN DISHWASHER IN ROOM 5-225.]

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Copy of Report  
Received By:

Inspector Greg Thomas

## PUBLIC PRIVATE SCHOOL

Userid: minsheupm

Review: PM 3/15/2013

Inspection reviewed.

Geocoded 29.010311A-81.331919

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORTPURPOSE: ☐ REINSPECTION☒ ROUTINE ☐ CHANGE OF OWNER☐ CONSTRUCT. ☐ CONSULTATION☐ COMPLAINT ☐ EPIDEMIOLOGY☐ QASURVEY ☐ PREOPENING☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
590	295	295



NAME Woodward Avenue Elementary School

ADDRESS 1201 Woodward Avenue S

CITY Deland

OWNER Volusia County School Board

ZIP 32720

PERSON IN CHARGE Shannon Hay

PHONE (386) 943-7910

## RESULTS:

☐ Satisfactory☐ Incomplete☒ Unsatisfactory☐ OUT OF BUSINESS

## Correct Violations by

☐ Next Inspection☒ 8:00 AM on

## E-MAIL

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
13:40	15:50	03/13/2013	69037	64-51-01594

RE-INSPECTION DATE

4/3/2013

As per section 120.695 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

☒ 1. School Site☐ 2. Playground Equipment☐ 3. Athletic Equipment

## BUILDINGS

☐ 4. Construction☐ 5. Maintenance & Repair☐ 6. Lighting/Foot-Candles☐ 7. Heating, Ventilation, A/C☐ 8. Natural Ventilation☐ 9. Mechanical Ventilation

## SANITARY FACILITIES

☒ 10. Provided/Accessible☐ 11. Cleanliness & Repair☐ 12. Toilet Facilities☐ 13. Separation of Sexes☐ 14. Fixture Ratio☒ 15. Handwash Facilities☐ 16. Showers/Fixtures☐ 17. Shower Water Temp.

## WATER SUPPLY

☐ 18. Installed/Operated/

Maintained

☒ 19. Drinking Fountains☐ 20. Approved Source

## LIQUID/SOLID WASTE

☐ 21. Sewage Disposal☐ 22. Solid Waste

## VECTOR/VERMIN

## CONTROL

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## COMMENTS AND INSTRUCTIONS

Violation:1 Observed unlabeled chemical bottle (200 ppm quat) on custodial cart in use in student restroom. Please ensure that all chemical bottles are labeled.

Code Reference FAC: School Site 64E-13.004(1). The school site should not pose health threats from hazardous materials.

Violation:10 THIRD AND FINAL NOTICE: Room 2-008: Observed furniture (changing station cabinet) on floor of student restroom. This cabinet does not allow cleaning underneath it and is built in a manner that will absorb sewage from toilet backflow or student urine. It is not cleanable and sanitizable. Please change to a changing table that can be rolled out of the restroom to clean underneath it or use a wall-mounted changing table.

Code Reference FAC: Provided/Accessible 64E-13.004(6). Every school plant shall be provided with toilet and hand washing facilities that are kept clean and in good repair.

Violation:15 No soap dispensers were observed in the boys side of the portable restroom on playground. The girls side contained a diluted soap in a plastic pump bottle. Please install proper soap dispensers and stock with proper strength soap.

Code Reference FAC: Handwash Facilities 64E-13.004(6)(b). Handwashing facilities shall be located within or adjoining each toilet room. Soap dispensers shall be provided at all wash basins and liquid or powdered soap shall be used.

Violation:19 Room 1-10: Inadequate water pressure to clear nozzle at sink water fountain. Please increase water pressure to clear nozzle.

Code Reference FAC: Drinking Fountains 64E-13.004(7)(b). Drinking fountains of an approved, sanitary slant jet type shall be provided in the ratio specified in the local building code or Chapter 64E-10, F.A.C.

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert Maglievaz

PHONE: 736-5442

INSPECTION COND SIGNATURE:


ALT#:

COPY OF REPORT RECEIVED BY:

DATE: 3/13/2013



STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Woodward Avenue Elementary School

Date: 03/13/2013

Identification No: 64-51-01594

**Comments and Instructions (Continued from Page 1):**

**Violation:23**

1. Room 2-011: Observed dead bat on floor of classroom. Staff in this building stated that numerous dead bats have been appearing on classroom floors throughout the building on a daily basis. Please locate source of bats and remove from building. NOTE: It is possible that bats could gain entry into the building if classroom or hallway doors are left open during cleaning activities or are being drawn to the building by insects attracted to light coming from open doors in rooms.

2. Building 1, Main North-South Hallway; Building 1 North-South Hallway west of office: Large gaps observed under exterior doors could allow rat and roach (and possibly bat) entry into building. Please seal door gaps.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Copy of Report  
Received By: *Cpl. L. J. Thompson*

Inspector Robert Maglievaz

## PUBLIC PRIVATE SCHOOL

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC PRIVATE SCHOOL  
INSPECTION REPORT

Userid: minshewpm

Review: PM 1/16/2013

Inspection reviewed.

Geocoded 28.931193/-81.231631

- PURPOSE:** ☐ REINSPECTION  
☒ ROUTINE ☐ CHANGE OF OWNER  
☐ CONSTRUCT. ☐ CONSULTATION  
☐ COMPLAINT ☐ EPIDEMIOLOGY  
☐ QASURVEY ☐ REOPENING  
☐ OTHER

TYPE: Public School

CENSUS	FEMALES	MALES
1100	550	550



NAME Galaxy Middle School  
 ADDRESS 2400 Eustace Avenue CITY Deltona  
 OWNER Volusia County School Board ZIP 32725  
 PERSON IN CHARGE School Board, Volusia County PHONE (386) 789-7070

## RESULTS:

- ☐ Satisfactory  
☐ Incomplete  
☒ Unsatisfactory  
☐ OUT OF BUSINESS

## Correct Violations by

- ☐ Next Inspection  
☒ 8:00 AM on

## E-MAIL

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER
14:00	15:00	01/10/2013	69037	64-51-01550

## RE-INSPECTION DATE

2/7/2013

As per section 120.095 of the Florida Statutes (FS), this form will serve as a "Notice of Non-Compliance" for any violations noted. Items marked below violate the requirements of Chapters 64E-13 and 64E-11 of the Florida Administrative Code (FAC) and must be corrected within the time period indicated in the "Results" section above. Continued operation of this facility without making these corrections is a violation of Chapter 64E-13 and 64E-11, FAC, and Chapter 381, FS. Failure to correct violations may result in an administrative fine or other legal action being initiated or continued.

## SCHOOL SANITATION

- ☒ 1. School Site ☐ 8. Natural Ventilation ☐ 15. Handwash Facilities  
☐ 2. Playground Equipment ☐ 9. Mechanical Ventilation ☐ 16. Showers/Fixtures  
☒ 3. Athletic Equipment ☐ 17. Shower Water Temp.  
**BUILDINGS** ☐ 10. Provided/Accessible **WATER SUPPLY** ☐ 18. Installed/Operated/Maintained  
☐ 4. Construction ☐ 11. Cleanliness & Repair ☐ 19. Drinking Fountains  
☒ 5. Maintenance & Repair ☐ 12. Toilet Facilities ☐ 20. Approved Source  
☐ 6. Lighting/Foot-Candles ☐ 13. Separation of Sexes ☐ 21. Sewage Disposal  
☐ 7. Heating, Ventilation, A/C ☐ 14. Fixture Ratio ☐ 22. Solid Waste

## LIQUID/SOLID WASTE

## SAFETY

☐ 26. First Aid Kit

## FOOD

☐ 27. Food Insp. Rpt.

## OTHER

☐ 28.☐ 29.

## VECTOR/VERMIN CONTROL

☒ 23. Infestation/Control☐ 24. Brush/Trash☐ 25. Water Collection/Drainage

## COMMENTS AND INSTRUCTIONS

Violation:1 Observed ammonia, hydrogen peroxide and isopropyl alcohol stored on open rolling cart in classroom. Please store in secured location when not in use.  
 Code Reference FAC: School Site 64E-13.004(1). The school site & areas used for playgrounds shall be evenly graded & sloped or provided with adequate facilities for surface drainage. A site should not pose health threats from hazardous materials, air & noise pollution, heavy traffic or industry.

Violation:3 SECOND NOTICE: Repair torn padding on benches in weight room. Torn padding is not cleanable/sanitizable and can facilitate the spread of diseases such as MRSA. Tape is not an acceptable covering for repair.  
 Code Reference FAC: Athletic Equipment 64E-13.004(2)(b). Athletic and recreational equipment and facilities must be kept clean and in a safe condition.

Violation:5 Room 5-105:

(1) Room 5-105: Band saw was disconnected from saw, sawdust was observed on floor, the exhaust dampers for all the saws were closed and full of sawdust at time of inspection. Please use exhaust fans to control dust and keep room clean.

(2) Building 6 and 10 Girls Restrooms:

(3) Non-functional faucet: Building 6 and 10 girls group restroom. Please repair.

(4) Please clean air conditioner returns in gym lockers.


Code Reference FAC: Maintenance & Repair 64E-13.004(3)(b)(c). Buildings shall be kept clean and in good repair, free from hazardous conditions. Furnishings and equipment shall be kept clean and in good repair, free of missing parts and

\*\*Continued On Page 2\*\*

INSPECTION CONDUCTED BY: Robert Maglievaz/Stuart Lentz PHONE: 736-5442

INSPECTION COND SIGNATURE: [Signature] ALT#: \_\_\_\_\_COPY OF REPORT RECEIVED BY: [Signature] DATE: 1/10/2013

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY PUBLIC HEALTH UNIT  
Public/Private School



Name: Galaxy Middle School

Date: 01/10/2013

Identification No: 64-51-01550

**Comments and Instructions (Continued from Page 1):**

hazards.

Violation: 23 Room 4-019: Observed fresh rodent droppings in storage room by ventilation hood. Observed live german roaches in cabinets. Room is very cluttered, disorganized and provides ample harborage for both pests. Please clean floors and cabinets, including removal of all signs of rodent droppings and dead insects. Please exterminate roaches and rodents. Please have students store their supplies in a more organized manner when not working on projects.

Code Reference FAC: Infestation/Control 64E-13.004(10). Effective measures shall be used to prevent harborage, propagation, or infestations of rodents and all insects.

Copy of Report  
Received By: X

Inspector Robert Maglievaz/Stuart Lentz